



# Razor Portable Sound Containment

---

[www.razorpsc.com](http://www.razorpsc.com)

587-586-3250





**Razor Wall**  
16 ft high x 20 ft wide



**Saddle Wall**  
10 ft high x 8 ft wide



**Picture Frame**  
12 ft high x 10 ft wide



**Saddle Wall HD**  
10 ft high x 10 ft wide



## SADDLE WALL S-1010



**Size:**

11' H x 10' W x 2' Base |  
3 m H x 3 m W x 0.6 m Base

**Weight:**

4,820 lbs | 2,186 kg

**Wind Resistance Load:**

With Jersey Barrier: 70 km/h (43 MPH)  
With Crab Leg: 100 km/h (62 MPH)

**Sound Transmission Class (STC): 41**  
**Noise Reduction Coefficient (NRC): 0.3**

## SADDLE WALL S-1010

- **Easy Installation:** Quick setup and takedown capabilities.
- **Efficient Transport** One Super B load will move 18 sections = 180 linear ft.
- **Eco-friendly Materials:** Our commitment to sustainability ensures minimal environmental impact without compromising on quality.
- **Aesthetic Quality** Improves visual appearance of a site for stakeholders.
- **Cost Effective:** \$7,500/section or rent for \$18/day/section





## Saddle Wall S-810



**Size:**

10' H x 8' W x 2' Base

**Weight:**

4,500 lbs - 2,041 kg

**Wind Resistance Load:**

With Jersey Barrier: 70 km/h (43 MPH)

With Crab Leg: 100 km/h (62 MPH)

**Sound Transmission Class (STC): 27**

**Noise Reduction Coefficient (NRC): 0.3**

## Saddle Wall S-810

- **Easy Installation:** Quick setup and takedown capabilities.
- **Efficient Transport One Super B**  
Load will move 20 Sections = 160  
linear ft
- **Eco-friendly Materials:** Our  
commitment to sustainability ensures  
minimal environmental impact without  
compromising on quality.
- **Aesthetic Quality** Improves visual  
appearance of a site for stakeholders.
- **Cost Effective \$4,000 per unit or**  
**\$15/section rent per day. Crab**  
**Legs \$1,000/unit or \$5/rent**



# RAZOR WALL

## R-1620

### DETAILS:

**Size:**

16' H x 20' W x 8' Base |  
4.88 m H x 6.10 m W x 2.43 m Base

**Weight:**

5800 lbs | 2631 kg

**Wind Resistance Load:**

With 2 concrete blocks: 92 km/h (52 MPH)  
With 3 concrete blocks: 115 km/h (72 MPH)

**Sound Transmission Class (STC): 41**


**Noise Reduction Coefficient (NRC): 0.3**



# RAZOR WALL

## R-1620

- **Easy Installation:** Quick setup and takedown capabilities.
- **Efficient Transport** One Super B load will move 6 sections = 120 linear ft.
- **Eco-friendly Materials:** Our commitment to sustainability ensures minimal environmental impact without compromising on quality.
- **Aesthetic Quality** Improves visual appearance of a site for stakeholders.
- **Cost Effective:** \$15,000/section or rent for \$25/day/section.





## Picture Frame P-1210



### Size

- 12' H x 10' W x 4' BASE

### Weight

- 3,000 lbs / 1,360 kg

### Wind Resistance Load

- 70km/hr / (43MPH)
- With 4,000lb block: 100km/hr (62MPH)

### Sound Transmission Class (STC 41)

Noise Reduction Coefficient (NRC 0.3)



## Picture Frame P-1210



**Easy Installation:** quick set up and take down capabilities

**Efficient Transport:** One Super B will move 20 sections = 200 linear ft

**Cost Effective:** \$12,000 per section, rent \$20/day